
E-Gaze Glasses: Simulating Natural Gazes for Blind People

Shi Qiu

Eindhoven University of
Technology
P. O. Box 513
5600 MB Eindhoven NL
SQIU@tue.nl

Siti Aisyah Anas

Eindhoven University of
Technology
P. O. Box 513
5600 MB Eindhoven NL
S.A.B.Anas@tue.nl

Hirotsuka Osawa

University of Tsukuba
1-1-1, Tenno-dai, Tsukuba, Japan
osawa@iit.tsukuba.ac.jp

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from Permissions@acm.org.

TEI '16, February 14-17, 2016, Eindhoven, Netherlands
© 2016 ACM. ISBN 978-1-4503-3582-9/16/02...\$15.00
DOI: <http://dx.doi.org/10.1145/2839462.2856518>

Matthias Rauterberg

Eindhoven University of
Technology
P. O. Box 513
5600 MB Eindhoven NL
G.W.M.Rauterberg@tue.nl

Jun Hu

Eindhoven University of
Technology
P. O. Box 513
5600 MB Eindhoven NL
J.Hu @tue.nl

Abstract

Gaze and eye contact are frequently in social occasions used among sighted people. Gaze is considered as a predictor of attention and engagement between interlocutors in conversations. However, gaze signals from the sighted are not accessible for the blind person in face-to-face communication. In this paper, we present functional work-in-progress prototype, E-Gaze glasses, an assistive device based on an eye tracking system. E-Gaze simulates natural gaze for blind people, especially establishing the “eye contact” between blind and sighted people to enhance their engagement in face-to-face conversations. The gaze behavior is designed based on a turn-taking model, which interprets the corresponding relationship between the conclusive gaze behavior and the interlocutors’ conversation flow.

Author Keywords

Social interaction; eye tracking; visual impairments

ACM Classification Keywords

H.5.2. [Information interfaces and presentation]: User Interface, K.4.2 [Computers and Security]: Social Issues – Assistive technologies for persons with disabilities.

Introduction

Gaze and mutual gaze are important in the development of trust and deeper relationships [2]. McNeill emphasizes that nonverbal cues such as gazes are integral to a conversation and that ignoring them means ignoring part of the conversation [10]. A common face-to-face conversation can contain a wealth of gazes and eye contacts, which the sighted people take for granted in their daily routines. For example, a sighted speaker consciously or unconsciously uses gaze or eye contact to communicate with the conversation partner. Through the conversation partner's eyes, she can sense interest, engagement, happiness etc. Gaze signals, frequently used by the sighted in social interactions, are visual cues. Blind people have limited or no access to gaze signals in face-to-face communication. They often feel difficult to meet people, because they could not see and make eye contacts with the sighted people.

In this paper, we present E-Gaze glasses, a wearable device based on an eye tracking system. It simulates natural gazes for people with visual disability, especially establishing the "eye contact" between blind and sighted people to enhance the engagement in face-to-face communication. The natural gazes are designed based on a turn-taking model, which links the conclusive gaze behavior with the interlocutors' conversation flow.

Related Work

This research draws on theories of gaze behavior and related research on turn-taking gaze behavior of agents or avatars.

Gaze and turn-taking

A number of studies have investigated gaze and turn-taking behavior of sighted people in social occasions. Argyle studied that in dyadic (two-person) conversations, about 75% of the time people are listening, which coincides with gazing at the speaker [1]. Goodwin explained the role of gaze in turn-taking by considering the gaze interaction between hearers and speakers. He claimed that the speaker's look away at the beginning of turns occurs to avoid overloading information in the planning of an utterance [7]. Kendon suggested that seeking or avoiding looking at the face of the conversation partner has important function to regulate the flow of conversation in dyadic conversations and to ensure smooth turn-taking [9]. Vertegaal et al. demonstrated a linear relation between the amount of gazes perceived by subjects and the number of speaking turns taken by subjects during three-person conversations. Lack of gaze can decrease the turn-taking efficiency of multiparty mediated system by 25% [15].

Turn-taking strategies in agents or avatars

Gaze and turn-taking strategies applied in agents or avatars systems indicate noticeable effects on human-agent or human-avatar communication. Cassell et al. proposed a new approach to design conversational agents that exhibit appropriate gaze behavior. In this approach, the exchange of looks between participants was related to both information threads and the exchange of turns during the flow of conversation [5]. Dirk Heylen et al. reported a pilot experiment that investigated the effects of different eye gaze behaviors of a cartoon-like talking face on the quality of human-agent dialogues. The result demonstrated that the gaze strategy using turn-taking model significantly affects




Figure 1. E-Gaze: (C1) gaze detection; (C2) eye contact simulation; (C3) avoiding state; (C4) attention state.

the dialogue quality [8]. Garau et al. described an experiment to investigate the importance of eye gaze between humans in four mediated conditions: video, audio-only, random-gaze avatars and inferred-gaze avatars. In inferred-gaze, gaze was tied to turn taking in the conversation. The result showed that the inferred-gaze avatar significantly outperformed the random-gaze model and also outperformed audio-only on several response measures [6].

Conceptual Design in User Study

In a prior user study, a conceptual design of E-Gaze glasses was proposed, to create gaze communication between blind and sighted people in face-to-face conversations. E-Gaze has two main functions: to help blind people access gaze signals and to help them react to the sighted by displaying eye gestures. Based on these two functions, four features of E-Gaze (Figure 1) were proposed: C1) *gaze detection*, slight vibrations from E-Gaze indicate gazes from the sighted conversation partner; C2) *eye contact simulation*, when the sighted looks at E-Gaze, E-Gaze also looks back to establish “eye contact”; C3) *avoiding state*, if the sighted gazes long enough, E-Gaze looks away to avoid the long gaze; C4) *attention state*, the simulated eyes in E-Gaze open bigger when the heartrate of the blind person increased, indicating an “attention state”. In the interviews, we explained to participants four features of E-Gaze using persona and scenarios, which aimed to arouse participants’ past experiences and memories to help them envision the use:

The example scenario

Jack is 19 years old, a senior high school student. He was born blind... Jack feels a slight vibration from E-Gaze on the right forehead. His head turns right and wants to

know who is looking at him. After a short while, his classmate Jim comes to say: “I see you see me and it reminds me of asking you a question.” In this scenario, E-Gaze has two functions: (1) the slight vibration of E-Gaze indicates gazes from the sighted and (2) when the sighted looks at E-Gaze, E-Gaze also looks back to establish “eye contact”.

After explaining the use scenario of each of the four features, we asked participants: “What do you think of the idea? Imagine that you are Jack in this scenario.” Twenty participants evaluated each feature based on three dimensions: usefulness, efficiency and interest. More relevant results about this user study are reported at a conference [12]. In this working-progress paper, we refine two design features in E-Gaze system: (C2) eye contact simulation and (C3) avoiding state based on turn-taking gaze model.

Turn-taking Gaze Model

In human-human and face-to-face conversations, typical patterns have been observed in the way interlocutors make eye contact or look away [4]. We start from simulating these two typical gaze patterns in our E-Gaze system. Since the patterns of gaze behaviors, turn taking and information structure are correlated [13], we are interested in linking gaze patterns with the conversation flow by the turn-taking strategy. In general, a speaker will often avert the eyes from the listener when she starts to speak (to concentrate on what she is going to say). At the end of the turn, the speaker will typically direct to the listener again, in order to signal the end of the turn and indicate the hearer to take the turn [14].

In our design, E-Gaze is a wearable device, worn by the blind person as glasses. It displays two basic gaze




Figure 2. Overview of the E-Gaze system

patterns: “look at” and “look away” from the sighted based on whether the blind person is talking. When she starts talking, E-Gaze will “look away” from the sighted to concentrate on what she is going to say; when she ends talking, E-Gaze will “look at” the sighted to establish the “eye contact” when giving the sighted an opportunity to take the turn. If the sighted stares at E-Gaze, E-Gaze will “look away” to avoid her long gaze.

E-Gaze System Design




Figure 3. A dyadic-conversation scenario between the sighted and the blind people

The initial version of E-Gaze is the AgencyGlass based on a C++ program in Visual Studio 2012 [11]. AgencyGlass was designed for the sighted and it used a connected keyboard to control displaying basic gaze animations. It was designed to decrease the emotional workload of the sighted people by simulating eye gestures. In our research, we introduce AgencyGlass design into E-Gaze system to provide means for the blind person to react to the sighted by displaying natural eye gestures based on the conversation flow. In a dyadic-conversation scenario, an Eye Tribe Tracker¹

¹ <https://theeyetribe.com/>

is placed in front of the sighted, detecting her gaze coordinates. The blind person sits face-to-face with the sighted and wears E-Gaze (Figure 3). We also envision an overview of E-Gaze system in Figure 2. In the system, the eye animations displaying on E-Gaze are driven by the speech detection module based on “while speaking” and “while listening” modes.

“While speaking” mode

If the blind person starts a conversation with the sighted, the speech detection module recognizes the turn taking states and creates corresponding commands. If the blind person starts talking, the Arduino board controls the OLED module to display a “look away” eye gaze. When the blind person stops talking, the OLED display shows eye gaze that look towards the sighted as an indication that it is the turn of the sighted to continue the conversation.

“While listening” mode

In the “while listening” mode, if the gaze coordinates from the sighted match the area of the E-Gaze, it indicates that the sighted is looking towards the blind person and trying to establish an eye contact. Once Arduino retrieves this coordinate, it sends a message to E-Gaze. After receiving the message, the OLED module displays eye gaze that looks towards the sighted. At times, E-Gaze displays a “look away” eye gaze while the sighted is still talking and looking at E-Gaze. We expect that this would make the conversation become more comfortable, since there should be an equilibrium level of eye contact for a person in a social conversation with the second person. If eye contact rises above that amount, it can be anxiety-arousing [3].




Figure 5. A simple graphical user interface (GUI) with 15 point of gaze is created to detect the eye gaze from the sighted using the Eye Tribe Tracker.

Gaze point	Eye gaze animations
<p>Center</p>	<p>Look towards</p>
<p>Left</p>	<p>Look left</p>
<p>Right</p>	<p>Look right</p>
<p>Up</p>	<p>Look up</p>
<p>Down</p>	<p>Look down</p>

Figure 6. Gaze points on GUI and corresponding eye gaze animations of E-Gaze

System Implementation

We currently focus on connecting the Eye Tribe tracking platform with the corresponding gaze animations of E-Gaze. The speech detection model of E-Gaze system is unfinished, so we leave the turn-taking gaze behavior for the later report. We implement that E-Gaze can follow the gaze behavior of the sighted in the working-progress system. If the sighted looks towards E-Gaze, E-Gaze looks at the sighted; if the sighted looks left, E-Gaze also looks left. We test the E-Gaze worn by a dummy rather than the blind person.




Figure 4. Setup of E-Gaze system

In the E-Gaze system, an Eye Tribe Tracker is used to calculate the location of the gaze point by extracting information from the camera images of the person's face and eyes. The supporting software can measure the person's eye gaze defined by a pair of (x, y) coordinates with an average efficiency of 0.5 to 1° of visual angle. It enables the client applications interact with the underlying tracker server to obtain gaze data both in raw and smoothed forms based on an open Application Program Interface (API). A computer acting as a server extracts the data gathered by the Eye Tribe Tracker. E-Gaze system also consists of an Arduino microcontroller, a bluetooth module, two uOLED-160-

G2 display modules with an embedded GOLDELOX graphics processor and a physical glasses-shaped prototype fabricated using a 3D printer. The setup of the system is shown in Figure 4. E-Gaze is programmed in Java based on Eclipse Integrated Development Environment (IDE). A graphical user interface (GUI) with 15 point of gaze is created to detect the eye gaze from the sighted using the Eye Tribe (Figure 5). Particularly, central five points with the blue color can be activated in gaze detection. Whenever the sighted is focusing on any gaze point among the five, it will highlight that point and trigger the corresponding eye gaze animation on OLED displays. For example: if the sighted focuses on the left gaze point on GUI, E-Gaze will display a "look left" eye gaze (Figure 6). The eye gaze animations use the real eye gaze video, which is helpful to simulate the natural gaze.

Towards the development of a fully functional prototype, one technical solution is under investigation. Now a sighted person needs to look at the evaluation window on a computer screen (Figure 7(a)) to manipulate the eye gaze animation of E-Gaze. Ideally, we expect the sighted person to look towards the E-Gaze glasses to control the corresponding eye gaze animation. In our proposal, we will still use the gaze on the evaluation window, but we will depict the GUI from the evaluation window and transfer it on the virtual plane as shown in Figure 7(b). It is important to ensure the position of the Eye Tribe Tracker to face towards the sighted person's face for maximum tracking ability. The facial area of the blind person (wearing E-Gaze) is also crucial and must be within the virtual plane area. When the sighted person is gazing on the virtual plane, the Eye Tribe Tracker will detect the gaze and compare it to the nearest point of interest (Figure 7(c)). Then, the




Figure 7. The sighted person looks towards the E-Gaze glasses to control the corresponding eye gaze animation.

computer will send the message to the E-Gaze and output the corresponding eye gaze animation. A small test has verified that using Eye Tribe Tracker can detect the human gaze in physical environment and produce the intended animation output.

Conclusion

We presented a functional prototype of the E-Gaze glasses based on the Eye Tribe tracking system to simulate natural gaze for blind people, to enhance their engagement in face-to-face communication. In our future work, we will develop speech detection module for E-Gaze system based on turn-taking model.

Acknowledgements

This research is supported by the China Scholarship Council and facilitated by Eindhoven University of Technology. This work was partially supported by JSPS KAKENHI 26118006A.

References

1. Michael Argyle. (1994). *The psychology of interpersonal behaviour*. Penguin UK.
2. Michael Argyle and Mark Cook. (1976). *Gaze and mutual gaze*. Cambridge University Press.
3. Michael Argyle and Janet Dean. (1965). Eye-contact, distance and affiliation. *Sociometry*, 28, 289–304.
4. Michael Argyle, Luc Lefebvre, and Mark Cook. (1974). The meaning of five patterns of gaze. *European Journal of Social Psychology*, 4(2), 125–136.
5. Justine Cassell, Obed E. Torres, and Scott Prevost. (1999). Turn taking versus discourse structure. In Y. Wilks (ed.), *Machine conversations*. The Hague: Kluwer, 143–153.
6. Maia Garau, Mel Slater, Simon Bee, and Martina Angela. (2001). The impact of eye gaze on communication using humanoid avatars. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '01)*, 309–316.
7. Charles Goodwin. (1981). *Conversational Organization: Interaction between hearers and speakers*. New York: Academic Press.
8. Dirk Heylen, Ivo van Es, Anton Nijholt, and Betsy van Dijk. (2005). Controlling the gaze of conversational agents. In J. van Kuppevelt, L. et al (ed.), *Natural, Intelligent and Effective Interaction in Multimodal Dialogue Systems*. Kluwer, 245–262.
9. Adam Kendon. (1967). Some functions of gaze-direction in social interaction. *Acta Psychologica*, 26(1), 22–63.
10. David McNeill. (1992). *Hand and mind: What gestures reveal about thought*. University of Chicago Press.
11. Hirotaka Osawa. (2014). Emotional cyborg: complementing emotional labor with human-agent interaction technology. In *Proceedings of the International Conference on Human-Agent Interaction (HAI'14)*, 51–57.
12. Shi Qiu, Hirotaka Osawa, Jun Hu, and Matthias Rauterberg. (2015). E-Gaze: Create Gaze Communication for People with Visual Disability. In *Proceedings of the International Conference on Human-Agent Interaction (HAI'15)*, 199–202.
13. Obed Torres, Justine Cassell, and Scott Prevost. (1997). Modeling gaze behavior as a function of discourse structure. In *1st International Workshop on Human-Computer Conversation*.
14. Ivo Van Es, Dirk Heylen, Betsy van Dijk, and Anton Nijholt. (2002). Gaze behavior of talking faces makes a difference. *CHI'02 Extended Abstracts on Human Factors in Computing Systems*, 734–735.

15. Roel Vertegaal, Gerrit van der Veer, and Harro Vons. (2000). Effects of gaze on multiparty mediated communication. In *Proceedings of Graphics Interface*, 95–102.